



**Food Grade Chain Lube, 5 Gal**  
 No. 04269 | Item# 1003568

|                           |  |
|---------------------------|--|
| Product Description       | Blend of synthetic lubricants and mineral oil to keep roller drive and conveyor chains lubricated. Penetrates, lubricates and protects moving parts by reducing friction and wear. NSF H1 rated for incidental food contact. |
| Applications              | Conveyor chains, packaging equipment, hoist chains, link and roller assemblies, forklift trucks and many other industrial applications.  |
| Unit Package Description  | 5 Gallon Pail  |
| Brand                     | CRC  |
| Generic Description 1     | Chain Lube   |
| Net Fill                  | 5 Gal  |
| UPC Code                  | 078254042695   |
| Unit Dimensions           | 13.8H x 11.3W x 11.3D in   |
| Units Per Case            | 1  |
| Case Dimensions           | 13.8H x 11.3W x 11.3D in   |
| Cases Per Pallet          | 24   |
| Case Weight               | 40 lbs   |
| Appearance                | Clear Water-White Liquid   |
| Base Type                 | Mineral Oil  |
| Flash point (F)           | >370°F   |
| Flash point (C)           | >188°C   |
| Flammability Class - CPSC | None   |
| Spec Gravity Concentrate  | 0.87   |
| Plastic Safe              | Yes  |
| Film Type                 | Oil  |
| Evaporation Rate          | Very Slow  |
| ISO Viscosity Grade       | 100  |
| Working Temp (F)          | 8 to 325°F   |
| Working Temp (C)          | -13.3 to 162.8°C   |
| Propellant                | None   |

Last revised: 11/26/2019  
 Page 1 of 2





|                                 |   |
|---------------------------------|---|
| NSF Category Code               | H1  |
| NSF Number                      | 144244  |
| DOT Proper Shipping Name        | Not Regulated   |
| VOC % (Consumer Product def)    | 0   |
| VOC g/L (Consumer Product def)  | 0   |
| VOC lbs/gal (Consumer Prod def) | 0   |
| VOC Category                    | Gear, Chain or Wire Lubricant (Non-Aerosol)             |
| Removal (How To)                | Remove with petroleum solvents or chlorinated solvents. |